

P30631

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Inventor : M. MISHIMA

Certificate of Corrections Branch

Patent No. : 7,615,937

Issued: November 10, 2009

Appl. No. : 10/598,463

Filed: August 31, 2006

For : HIGH-PRESSURE DISCHARGE LAMP LIGHTING DEVICE AND
LIGHTING FIXTURE

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner For Patents
U.S. Patent and Trademark Office
Customer Service Window
Randolph Building
401 Dulany Street
Alexandria, VA 22314

Sir:

Please find attached a proposed Certificate of Correction.

Please correct the following error appearing in the printed patent. The error is apparently the fault of the inventors, as per the attached Certificate of Correction. The \$100.00 fee for submitting the Request for Certificate of Correction is being submitted herewith.

At column 14, line 25 (claim 8, line 2) of the printed patent, insert --in-- before "claim". This first appeared incorrectly on page 4, line 9 (claim 8, line 2) of the Preliminary Amendment filed on August 31, 2006.


Therefore, it is respectfully requested that a Certificate of Correction issue in the above-identified patent as follows:

At column 14, line 25 (claim 8, line 2) of the printed patent, insert --in-- before "claim".

P30631

Should there be any questions, the Examiner is invited to contact the undersigned at the below-listed number.

Respectfully submitted,
M. MISHIMA



Bruce H. Bernstein
Reg. No. 29,027

April 12, 2010
GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191
(703) 716-1191

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,615,937

APPLICATION NO.: 10/598,463

ISSUE DATE : November 10, 2009

INVENTOR: M. MISHIMA

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

At column 14, line 25 (claim 8, line 2) of the printed patent, insert --in -- before "claim".

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.
1950 Roland Clarke Place
Reston, VA 20191-1411

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.